RAILROAD COMMISSION OF TEXAS OIL AND GAS DIVISION

Form H-1

05/2004 MIL0205

			2. Operator P-5 No. 450261						
(as show	n on P-5, Organization Re	eport)	2. Operator P-5 No. 450261						
3. Operator Address 635 Hwy 46 E.,	Suite 104, Boerne,	TX 78006							
4. County Victoria		1	5. RRC District No. 02						
6. Field Name Pridham Lake (Oakvi			7. Field No. 73147260						
8. Lease Name Beeler SWD			.9. Lease/Gas ID No						
10. Check the Appropriate Boxes:	New Project ⊠	Amendment							
If amendment, Fluid Injection	Project No. F								
Reason for Amendment: A	add wells	Add or change types	of fluids Change pressure						
C			Other (explain)						
	•	ATA FOR A NEW PRO	•						
11. Name of Formation Oakville / Mio	cene	12.	Lithology Sandstone (e.g., dolomite, limestone, sand, etc.)						
13. Type of Trap Stratigraphic (anticline, fault trap,	stratigraphic trap, etc.)	14. Type of Drive	(e.g., dolomite, limestone, sand, etc.) during Primary Production Water Drive						
			7. Current Bottom Hole Pressure (psig) ±1,029						
18. Average Horizontal Permeability (mo	is) ±1,000 mds	19. Average Poro	sity (%) ±32%						
	INJECTI	ON PROJECT DATA							
20. No. of Injection Wells in this applicat	ion1								
21. Type of Injection Project: Waterflood Pressure Maintenance Miscible Displacement Natural Gas Storage									
Steam	Thermal R	ecovery Dis	sposal Other						
22. If disposal, are fluids from leases of	er than the lease ider	ntified in Item 9?	Yes ⊠ No 🗆						
23. Is this application for a Commercial I	Disposal Well?		Yes □ No ☒						
24. If for commercial disposal, will non-h	azardous oil and gas	waste other than prod	uced water be disposed? Yes \(\backslash \) No \(\backslash						
25. Type(s) of Injection Fluid:			•						
Salt Water 🗵 Brackish Water	Fresh Water	CO ₂ N ₂	Air ☐ H₂S ☐ LPG ☐ NORM ☐						
Natural Gas 🔲 Polymer	Other (explain)								
26. If water other than produced salt wat aquifer and depths, or by name of surface	ter will be injected, ide te water source:	entify the source of eac	ch type of injection water by formation, or by						
CERTIFICATE I declare under penalties prescribed in Sec.	91.143; Texas Natura	Signature	10/21/21 Date :						
Resources Code, that I am authorized to ma report was prepared by me or under my super	ake this report, that this	John A. Kal	ert						
that the data and facts stated therein are true									
to the best of my knowledge.		Phone 20-824-	-BCel Fax NA.						
For Office Use Only	Register No.		Amount \$						
to the best of my knowledge. For Office Use Only Register No. Register No. See Reverse Side for Required Attachments									
			∀ ≥						

INSTRUCTIONS FOR FORM H-1


- Application. File the original Form H-1 application, including all attachments, with Assistant Director, Environmental Services, Railroad Commission of Texas, P.O. Box 12967, Capitol Station, Austin, Texas 78711. File one copy of the application and all attachments with the appropriate Railroad Commission District Office. Include with the original application a non-refundable fee of \$200, payable to the Railroad Commission of Texas. Submit an additional \$150 for each request for an exception to Statewide Rule 46(g)(3) and/or (j)(5)(B).
- Well Logs. Attach the complete electric log or a similar well log for one of the proposed injection
 wells or for a nearby well. Attach any other logging and testing data, such as a cement bond log,
 available for the well that supports this application.
- (a) For a new project, attach a map with surveys marked showing the location and depth of all wells of public record within one-quarter (1/4) mile radius of the proposed injection well(s).
 - (b) For an amendment to add wells to a previous authority, attach a map with surveys marked showing the location and depth of all wells of public record within one-quarter (1/4) mile radius of the additional wells, unless such data has been submitted previously for the project.
 - (c) Table of Wells. For those wells in 3(a) or 3(b) that penetrate the top of the injection interval, attach a table of wells showing the dates drilled and their current status. The Commission may adjust or waive this data requirement in accordance with provisions in the "Area of Review" section of Statewide Rule 46 (Rule 46(e)).
- Water Letter. Attach a letter from the Texas Commission on Environmental Quality (TCEQ) or its predecessor or successor agencies for a well within the project area stating the depth to which usable quality water occurs.
- Form(s) H-1A. Attach Form H-1A showing each injection well to be used in the project. Up to TWO
 wells can be listed on each Form H-1A.
- 6. Use of Fresh Water. Attach Form H-7, Fresh Water Data Form, for a new injection project that includes the use of fresh water. An updated Form H-7 must be attached to Form H-1 for an expansion of a previously authorized fresh water injection project unless the fresh water is purchased from a commercial supplier, public entity, or from another operator.
- 7. Plat of Leases, Notice and Hearings
 - (a) <u>Plat of Leases</u>. Attach a plat of leases showing producing wells, injection wells, offset wells and identifying ownership of all surrounding leases within one-half (1/2) mile.
 - (b) Notice.
 - (1) Send or deliver a copy of the application to the owner of record of the surface tract on which the well(s) is located; each Commission-designated operator of any well located within one-half (1/2) mile of the proposed injection well(s); and the clerk of the city and county in which the well(s) is located. If this is the initial application for fluid injection authority for this reservoir, send copies of the application to all operators in the reservoir. Attach a signed statement indicating the date the copies of the application were mailed or delivered and the names and addresses of the persons to whom copies were sent.
 - (2) <u>Attach an affidavit of publication</u> signed by the publisher that notice of the application has been published in a newspaper of general circulation in the county where the well(s) will be located. Notice instructions and forms may be obtained from the Commission's Austin Office, the Commission website (www.rrc.state.tx.us) or the District Offices. Attach a newspaper clipping of the published notice.
 - (c) <u>Protests and Hearings</u>. An affected person or local government may protest this application. A hearing on the application will be held if a protest is received and the applicant requests a hearing, or if the Commission determines that a hearing is in the public interest. Any such request for a public hearing shall be in writing and contain: (1) the name, mailing address and phone number of the person making the request; and (2) a brief description of how the protestant would be adversely affected by the granting of the application. If the Commission determines that a valid protest has been received, or that a hearing would be in the public interest, a hearing will be held after issuance of proper and timely notice of the hearing by the Commission. If no protest is received within fifteen (15) days of publication or receipt in Austin of the application, the application may be processed administratively.

RAILROAD COMMISSION OF TEXAS -- OIL AND GAS DIVISION

Form H-1A

		IN.	IECTION I	NELL DATA	(attach to	Form H-1)					
1. Operator Name Kaler Ener	av Corp.		: : :					tor P-5 No. 450261			
3. Field Name Pridham L		,					4 Field N	lo .			
5. Current Lease	Name D						6. Lease	Gas ID No.			
7. Lease is	£4 mile	es in a	ŞΨ	direction from	. †	Victoria	(cen	73147260 Gas ID No.			
8. Well No 5	9. API Nó		10: UIC No.	11. To	al Depth : 4 1	2. Date Drilled o Be Drille	13. Base of	Usable Quality Water 1.575'			
14. (a) Legal description of well location, including distance and direction from survey lines: 10,183' FNEL & 5,171' FSEL, Manchola, R. Survey, A-87											
(b) Latitude and Longitude of well location, if known (optional) Lat. X: 2626110.35 Long. Y: 334146.91 (NAD 27, TXSC) 15. New Injection Well X or Injection Well Amendment Reason for Amendment: Pressure Volume Interval Fluid Type											
15. New Injection Well 🗵 or Injection Well Amendment 🗌 Reason for Amendment: Pressure 🗌 Volume 🔲 Interval 🗎 Fluid Type 🗍 Other (explain)											
Casing	Size	Setting Depth	Hole Size	Casing Weight	Cement Class	# Sacks of Cement	Top of Cement	Top Determined by			
16. Surface	8 5/8"	1,650'	12 1/4"	24#	Ciboa	±635	Surface	Calculation			
17. Intermediate 18. Long string	5 1/2"	2,900'	7.7/8"	15.5#		±535	Surface	Calculation			
19. Liner 20. Tubing size	21. Tubin	g depth	22. Injection tubing packer depth			23. Injection interval					
2 7/8"		2,350'	2,350'			2,450' to 2,830'					
24. Cement Squa	eze Opera	tions (List all)	Squeeze	Interval (ft)		No. of Sacks		Top of Cement (ft)			
	٠.	-,			,	 					
25. Multiple Com	·	26. Downhole Water Separation?			NOTE: If the answer is "Yes" to Item 25						
Yes ☐ :No ⊠			Yes ☐ No 🗵			or 26, provide a Wellbore Sketch					
27. Fluid Type 28.			28. Maximu	28. Maximum daily injection volume for each fluid type (rate in bpd or mcf/d)			29. Estimated average daily injection volume for each fluid type (rate in bpd or mcf/d)				
Produced Salt Water			10,000 BPD			5,000 BPD					
30. Maximum Surface Injection Pressure: for Liquid 1,225 psig for Gaspsig. 8. Well No. 9. API:No. 10. UIC No. 11. Total Depth 12. Date Drilled 13. Base of Usable Quality Water											
(n)											
14. (a) Legal des	cription of	well location, inclu	ding distance	and direction	from survey line	es:		`			
(b) Latitude and Longitude of well location, if known (optional) Lat Long											
15. New Injection Well or Injection Well Amendment Reason for Amendment: Pressure Volume Interval Fluid Type											
Casing.	Size	Setting Depth	Hole Size	Other (exp	Cement	# Sacks of	Ton of	Top Determined by			
	SIZE	Setting Debut	Hole Size	Weight	Class	Cement	Cement	Top Determined by			
16. Surface 17. Intermediate											
18. Long string											
19. Liner 20. Tubing size	21. Tubin	g depth	22. Injectio	n tubing packe	r depth	23. Injection	interval	to			
24. Cement Squeeze Operations (List all)			Squeeze Interval (ft)		No. of Sacks		Top of Cement (ff)				
						NOTE: Etha answer is "Ves" to Item 25					
25. Multiple Completion?			26. Downhole Water Separation? Yes No			NOTE: If the answer is "Yes" to Item 25 or 26, provide a Wellbore Sketch					
27 Fluid Type 29 Mayiniya daily injection yelying for					29. Estimated average daily injection volume for each						
each fluid type (r					in bpd or mcf/d) fluid type (rate in bpd or mcf/d)						
20 Mayimura Surface Idiantian Braceurez for Liquid pein for Gas pein											

- 1. File as an attachment to Form H-1 to provide injection well data for each application for a new injection well permit or to amend an injection well permit.
- Complete the current field name and number (Items 3 and 4) with the current field designation in Commission records.
- Complete the current lease name and number (Items 5 and 6) with the current lease identification in Commission records for each well in the application. Use separate H-1A Forms for each lease.
- Provide the current well number(s) for existing wells in Item 8. Provide the proposed well numbers for wells that have not yet been drilled.
- 5. Check in Item 15 the appropriate box for a new injection well permit or an amendment to an injection well permit. If an amendment, check the appropriate boxes for the reason(s) for the application(s) for amendment. If "other" is checked provide a brief explanation.
- 6. Provide complete well construction information (Items 16 through 26), including all proposed re-completion (e.g. liner, cement squeeze, tubing, packer). Attach additional sheets if necessary. For Item 19, if the liner was not to the surface, indicate both the top and the bottom depth of the liner as the "Setting Depth."



Coordinate Projection System US State Plane NAD27 Texas South Central Beeler SWD Well #5 Location plat Victoria Co., TX