RAILROAD COMMISSION OF TEXAS OIL AND GAS DIVISION

Form H-1

05/2004

APPLICATION T	O INJECT FLUID INTO	O A RESERVOIR PR	CODUCTIVE OF OIL C)R GAS	MIL0205		
1. Opërator name. Kaler Energy Cor (as show	p. n on P-5, Organization Rep	port)	2. Operator P-5 No. 450261				
3. Operator Address 635 Hwy 46 E.,	Suite 104, Boerne,	TX 78006					
4. County Victoria			5. RRC District No	02			
6. Field Name Pridham Lake (Oakvi	ílė)		7. Field No	73147260			
8. Lease Name Beeler SWD			9. Lease/Gas ID No.		 -		
10. Check the Appropriate Boxes:	New Project: 🗵	Amendment					
If amendment, Fluid Injection							
Reason for Amendment: A	Add wells	Add or change types	of fluids Change	ge pressure			
C	Change volume (
Only the Little	•	TA FOR A NEW PRO					
11. Name of Formation Oakville / Mic	•		(e.g., dold	omite, limestone, sand, etc.)			
• • • • • • • • • • • • • • • • • • • •	stratigraphic trap, etc.)						
15. Average Pay Thickness Gross: 38	16. Lse/Unit Acrea	ge 86.90 17	7. Current Bottom Hole	Pressure (psig) ±1,02	29		
18. Average Horizontal Permeability (mo	ds) ±1,000 mds	_ 19. Average Poro	sity (%) ±32%				
	INJECTIO	N PROJECT DATA					
20. No. of Injection Wells in this applicat	tion1						
21. Type of Injection Project: Water	flood Pressure M	aintenance 🔲 Mis	scible Displacement	Natural Gas Storag	je 🗌		
Steam	Thermal Re	covery Dis	sposal	☑ Other	· · · · · · · · · · · · · · · · · · ·		
22. If disposal, are fluids from leases of	ner than the lease ident	tified in Item 9?	Yes 🗵 No 🛭]			
23. Is this application for a Commercial	Disposal Well?		Yes ☐ No 🛭	₫			
24. If for commercial disposal, will non-f	nazardous oil and gas v	waste other than prod	luced water be dispos	éd? Yes □ No			
25. Type(s) of Injection Fluid: Salt Water ⊠ Brackish Water	☐ Fresh Water ☐	CO ₂ \square N ₂ \square	Air ☐ H₂S ☐	LPG□ NORM□			
Natural Gas Polymer	Other (explain)		,,, <u> </u>		_		
26. If water other than produced salt wa aquifer and depths, or by name of surfa	ter will be injected, ider ce water source:	ntify the source of eac	ch type of injection wa	ter by formation, or by			
		Λ	·				
CERTIFICATE I declare under penalties prescribed in Sec Resources Code, that I am authorized to me report was prepared by me or under my super that the data and facts stated therein are true to the best of my knowledge.	ake this report, that this rvision and direction, and complete, correct, and complete,	Signature. JOYN A. KOI Narrie of Person (type W.P.S. (LUX) Phorie 20-324		NA- MOO	1 6 2021		
For Office Use Only	Register No.		windawr &	~ 0.			

Sounty Court, Victoria County, Te NACL 1011, 1016.22 (Dep

See Reverse Side for Required Attachments

INSTRUCTIONS FOR FORM H-1


- 1. Application. File the original Form H-1 application, including all attachments, with Assistant Director, Environmental Services, Railroad Commission of Texas, P.O. Box 12967, Capitol Station, Austin, Texas 78711. File one copy of the application and all attachments with the appropriate Railroad Commission District Office. Include with the original application a non-refundable fee of \$200, payable to the Railroad Commission of Texas. Submit an additional \$150 for each request for an exception to Statewide Rule 46(g)(3) and/or (j)(5)(B).
- Well Logs. Attach the complete electric log or a similar well log for one of the proposed injection
 wells or for a nearby well. Attach any other logging and testing data, such as a cement bond log,
 available for the well that supports this application.
- (a) For a new project, attach a map with surveys marked showing the location and depth of all wells of public record within one-quarter (1/4) mile radius of the proposed injection well(s).
 - (b) For an amendment to add wells to a previous authority, attach a map with surveys marked showing the location and depth of all wells of public record within one-quarter (1/4) mile radius of the additional wells, unless such data has been submitted previously for the project.
 - (c) Table of Wells. For those wells in 3(a) or 3(b) that penetrate the top of the injection interval, attach a table of wells showing the dates drilled and their current status. The Commission may adjust or waive this data requirement in accordance with provisions in the "Area of Review" section of Statewide Rule 46 (Rule 46(e)).
- 4. Water Letter. Attach a letter from the Texas Commission on Environmental Quality (TCEQ) or its predecessor or successor agencies for a well within the project area stating the depth to which usable quality water occurs.
- Form(s) H-1A. Attach Form H-1A showing each injection well to be used in the project. Up to TWO
 wells can be listed on each Form H-1A.
- 6. **Use of Fresh Water.** Attach Form H-7, Fresh Water Data Form, for a new injection project that includes the use of fresh water. An updated Form H-7 must be attached to Form H-1 for an expansion of a previously authorized fresh water injection project unless the fresh water is purchased from a commercial supplier, public entity, or from another operator.
- 7. Plat of Leases, Notice and Hearings
 - (a) <u>Plat of Leases</u>. Attach a plat of leases showing producing wells, injection wells, offset wells and identifying ownership of all surrounding leases within one-half (1/2) mile.
 - (b) Notice.
 - (1) Send or deliver a copy of the application to the owner of record of the surface tract on which the well(s) is located; each Commission-designated operator of any well located within one-half (1/2) mile of the proposed injection well(s); and the clerk of the city and county in which the well(s) is located. If this is the initial application for fluid injection authority for this reservoir, send copies of the application to all operators in the reservoir. Attach a signed statement indicating the date the copies of the application were mailed or delivered and the names and addresses of the persons to whom copies were sent.
 - (2) <u>Attach an affidavit of publication</u> signed by the publisher that notice of the application has been published in a newspaper of general circulation in the county where the well(s) will be located. Notice instructions and forms may be obtained from the Commission's Austin Office, the Commission website (www.rrc.state.bx.us) or the District Offices. Attach a newspaper clipping of the published notice.
 - (c) <u>Protests and Hearings</u>. An affected person or local government may protest this application. A hearing on the application will be held if a protest is received and the applicant requests a hearing, or if the Commission determines that a hearing is in the public interest. Any such request for a public hearing shall be in writing and contain: (1) the name, mailing address and phone number of the person making the request; and (2) a brief description of how the protestant would be adversely affected by the granting of the application. If the Commission determines that a valid protest has been received, or that a hearing would be in the public interest, a hearing will be held after issuance of proper and timely notice of the hearing by the Commission. If no protest is received within fifteen (15) days of publication or receipt in Austin of the application, the application may be processed administratively.

RAILROAD COMMISSION OF TEXAS -- OIL AND GAS DIVISION

Form H-1A

		IN.	JECTION \	NELL DATA	(attach to	Form H-1)				
1. Operator Name Kaler Ener	gy Corp.		•	•				or P-5 No. 450261		
3. Field Name Pridham I	ake (Oal	(villa)			Turks of the second		4. Field N	73147260		
5: Current Lease Beeler SW	Name									
	Ł4	es in a	sw			Victoria	/cent	er of nearest town).		
8. Well No	9. API No	es in a	10: UIC No.	11. Tot	al Depth 1	2 Date Drilled o Be Drille	13. Base of	Usable Quality Water 1,575'		
14. (a) Legal des 10.183	cription of FNEL 8	well location, incli 5.171' FSEL	uding distance. Manchola	e and direction a. R. Survey	from survey line. A-87	es:		46,91 (NAD 27, TXSC)		
15. New Injection	Well⊠ or	Injection Well A	mendment [Reason fo		Pressure [Volume 🔲 Int	ervaì 🗌 Fluid Type 🗌		
Casing	Size	Setting Depth	Hole Size	Casing Weight	Cement Class	# Sacks of Cement	Top of Cement	Top Determined by		
16. Surface 17. Intermediate	8 5/8"	1,650'	12 1/4"	24#		±635	Surface	Calculation		
18. Long string 19. Liner	5 1/2"	2,900'	7.7/8"	15.5#		±535	Surface	Calculation		
20. Tubing size 2 7/8"	21. Tubin	g depth 2,350'	22. Injectio	22. Injection tubing packer depth 2,350'			23. Injection interval 2,450' to 2,830'			
24. Cement Squa	ezé Opera	tions (List all)	Squeeze	Interval (ft)		No. of Sac	ks	Top of Cement (ft)		
	.,		<u> </u>		···					
25. Multiple Completion?		26. Downhole Water Separation? Yes □ No ☒			NOTE: If the answer is "Yes" to Item 25 or 26, provide a Wellbore Sketch					
	Yes ☐ No ☒ 27. Fluid Type		28 Maxim	28. Maximum daily injection volume for			29. Estimated average daily injection volume for each			
				each fluid type (rate in bpd or mcf/d)			fluid type (rate in bpd or mcf/d)			
Produced Salt Water		 	10,000 BPD			5,000 BPD				
30. Maximum Sui	rface Inject	ion Pressure:	for Liquid	1,22				psig.		
8. Well No.	9. API No		10; UIC No.		tal Depth	2. Date Drilled	13. Base of	Usable Quality Water		
14. (a) Legal des	scription of	well location, incl	uding distanc				132.04 (**C	31		
(b) Latitude a	and Longitu	de of well location	n, if known (o	ptional) Lat.			Long.			
15. New Injection Well or Injection Well Amendment Reason for Amendment: Pressure Volume Interval Fluid Type										
Casing.	Size	Setting Depth	Hole Size	Other (exp Casing Weight	Cement Class	# Sacks of Cement	Top of Cement	Top Determined by		
16. Surface				Weight	Oldod	Content	CINOM			
17. Intermediate 18. Long string			 			1				
19. Liner					l	20 1 1 1				
20. Tubing size	21. Tubin	g depth	22. Injection tubing packer depth		23. Injection interval to					
24. Cement Squeeze Operations (List all)			Squeeze	Squeeze Interval (ft)			ks	Top of Cement (ft)		
25. Multiple Completion? Yes □ No □		26. Downhole Water Separation? Yes No			NOTE: If the answer is "Yes" to Item 25 or 26, provide a Wellbore Sketch.					
27.	Fluid Type					29. Estimated average daily injection volume for each fluid type (rate in bpd or mcf/d)				
30. Maximum Su	face Injecti	ion Pressure	for Liquic	1	psi	o for Gas		psia.		

- File as an attachment to Form H-1 to provide injection well data for each application for a new injection well permit or to amend an injection well permit.
- 2. Complete the current field name and number (Items 3 and 4) with the current field designation in Commission records.
- Complete the current lease name and number (Items 5 and 6) with the current lease identification in Commission records for each well in the application. Use separate H-1A Forms for each lease.
- 4. Provide the current well number(s) for existing wells in Item 8. Provide the proposed well numbers for wells that have not yet been drilled.
- 5. Check in Item 15 the appropriate box for a new injection well permit or an amendment to an injection well permit. If an amendment, check the appropriate boxes for the reason(s) for the application(s) for amendment. If "other" is checked provide a brief explanation.
- 6. Provide complete well construction information (Items 16 through 26), including all proposed re-completion (e.g. liner, cement squeeze, tubing, packer). Attach additional sheets if necessary. For Item 19, if the liner was not to the surface, indicate both the top and the bottom depth of the liner as the "Setting Depth."



US State Plane NAD27 Texas South Central

Location plat Victoria Co., TX